

Chrome Inspect on Perfecto Lab Devices

Using Perfecto Lab devices as the platform for debugging your web application is a simple process:

- Open the device in the Perfecto Lab, either in the IDE (Eclipse or Android Studio) plugin or in an Interactive Perfecto Lab session.
- [Connect the device](#) to your development station with DevTunnel.
- Debug your app, selecting the Perfecto Lab device that appears as a USB-connected device, from Chrome-inspect.


Chrome Inspect

After the device is connected to the DevTunnel, open your Chrome browser and go to the **chrome://inspect** page.

The connected device appears in the list of devices.



Use either the Chrome-inspect URL text box or the Perfecto **Open URL** widget to open the tab on the device's Chrome browser.



Find the tab that you want to inspect/debug in the list of tabs on the Chrome-inspect window, and click on the **inspect** link.

This opens the Chrome DevTools window that allows you to debug or inspect your web application.

Developer Tools - community.perfectmobile.com/login

community.perfectmobile.com/login

Elements | Network | Sources | Timeline | Profiles | Resources | Audits | Console

<!(DOCTYPE html)>

```
<html class="v1 uagent-chrome uagent-webkit uagent-linux js no-flexbox canvas canvastext webgl touch geolocation postmessage websockets rgba hsla multiplebgs backgroundsize borderimage borderradius boxshadow textshadow opacity cssanimations csscolumns cssgradients cssreflections csstransforms csstransforms3d csstransitions fontface generatedcontent video audio localstorage sessionstorage webworkers applicationcache svg inlinesvg smil svgclippaths">
  <head>...</head>
  <body class="login">
    <div id="alerts-container">...</div>
    <header class="page_header">...</header>
    <div class="page">...</div>
    <script>...</script>
    <script data-main="navbar/shim-1f50f2f95b04cbd11950a762bf65e16c" src="https://assets0.bloomfire.com/id/1d6630a46f817e811e0e24d17b0e2ac04e6d1f/assets/require-1008782ff9128a4d488d3c24b0e0bc6c.js">...</script>
    <script type="text/javascript">...</script>
    <script type="text/javascript">...</script>
    <script type="text/javascript">...</script>
    <div id="bloomfire-wrapper" class="modal-container">...</div>
    <div id="fancybox-tmp">...</div>
    <div id="fancybox-loading">...</div>
    <div id="fancybox-overlay">...</div>
    <div id="fancybox-wrap">...</div>
  </body>
</html>
```

Styles | Computed | Event Listeners | DOM Breakpoints

```
element.style {
}

body {
  background:none;
  background-color: #09E1E2;
}

media="screen" login
body {
  all-2ede9bf7627_d71fee.css:851
  line-height: 1.3em;
  font-family: 'source-sans', 'Lucida Grande', 'Verdana', sans-serif;
  color: #222222;
  -webkit-font-smoothing: antialiased;
  -webkit-text-size-adjust: none;
}

media="screen" login
body {
  all-2ede9bf7627_d71fee.css:421
  line-height: 1.4;
}

media="screen" login
body {
  all-2ede9bf7627_d71fee.css:406
  background-color: #f3f3f3;
  url(//assets2.bloomfire.com/id/1d6630a-fade-81ad5e13e7236b02c18b05d3304c5c0.png);
  repeat: no 0 0;
}

media="screen" login
body {
  all-2ede9bf7627_d71fee.css:321
  line-height: 1.7;
}

media="screen" login
html, body,
all-2ede9bf7627_d71fee.css:292
div, span, applet, object, iframe, h1, h2, h3, h4, h5, h6, p, blockquote, pre, a, abbr, acronym, address, big, cite, code, del, dfn, em, img, ins, kbd, q, s, samp, small, strike, strong, sub, sup, tt, var, b, u, i, center, dl, dt, dd, ol, ul, li, fieldset, form, label, legend, table, caption, tbody, tfoot, thead, tr, th, td, article, aside, canvas, details, embed, figure, figcaption, footer, header, hgroup, menu, nav, output, ruby, section, summary, time, mark, audio, video {
  margin: 0;
  padding: 0;
  border: 0;
  font-size: 100%;
  font: inherit;
  vertical-align: baseline;
}
```

html body.login Find in Styles