

Timer start

Command: timer

Subcommand: start

Supported Platforms: Native

Supported OS: Android, iOS

Begins to measure time, with the specified timer ID, until the Timer stop function is invoked.

Description

Begins measuring time via a timer identified by the *timerId* parameter, up until the *Timer stop* command is used.

The Timer *Initialization* parameter is useful when using within a loop, where the timer can be reset or continued with each iteration.

Parameters

* Mandatory parameter

Request & Response

Request

```
https://mycloud.perfectomobile.com/services/executions/john@perfectomobile.com_controller_16-11-08_09_26_26_940?operation=command&securityToken=<your_token>&command=timer&subcommand=start&param.timerId=timerA
```

JSON Response

```
{
  "executionId": "john@perfectomobile.com_controller_16-11-08_09_26_26_940",
  "reason": "Success",
  "testGridReportUrl": "https://mycloud.reporting-stg.perfectomobile.com?externalId[0]=john@perfectomobile.com_controller_16-11-08_09_26_26_940",
  "singleTestReportUrl": "https://mycloud.perfectomobile.com/nexperience/singletest/report/?reportRepositoryKey=PRIVATE:controller/161108/controller_16-11-08_09_26_26_940.xml&ownerId=john@perfectomobile.com&sharingCode=166ca97d-a844-443e-bb78-99da59f69f8f",
  "description": "Success",
  "reportKey": "PRIVATE:controller/161108/controller_16-11-08_09_26_26_940.xml",
  "completed": "true",
  "flowEndCode": "SUCCEDED"
}
```